

Peer Reviewed Manuscripts:

1. **Gan TJ**, Miller RF, Webb AR, Russell RCG. Pheochromocytoma presenting as recurrent hyperamylasemia and multiple organ failure. *Canadian Journal of Anaesthesia* 1994;41:244-7.
2. **Gan TJ**, Collis R, Hetreed M. Double-blind comparison of ondansetron, droperidol and saline in the prevention of postoperative nausea and vomiting after major orthopedic surgery. *Br J of Anaesth* 1994;72: 544-7.
3. **Gan TJ**, Alexander R, Fennelly M and Rubin AP. Comparison of different methods of administering droperidol in patient-controlled analgesia in the prevention of postoperative nausea. *Anesth Analg* 1995;80:81-85.
4. **Gan TJ**, Glass PSA. Pharmacokinetic and pharmacodynamic aspects of intravenous anesthesia. *Anesthetic Pharmacology Review*. 1995;3:28-36.
5. **Gan TJ**, Quill TJ, Pressley C, Parrillo S, Glass PSA. A comparison of mivacurium dosage requirements during isoflurane and desflurane anesthesia. *J Clin Anesth* 1996;8:301-306.
6. **Gan TJ**, Ginsberg B, Grant AP, Glass PSA. Double-blind, randomized comparison of ondansetron and intraoperative propofol to prevent postoperative nausea and vomiting. *Anesthesiology* 1996;85:1036-1042.
7. Lubarsky DA, Glass PS, Ginsberg B, Dear GL, Dentz ME, **Gan TJ**, Sanderson IC, Mythen MG, Dufore S, Pressley C, Gilbert WC, White WD, Alexander ML, Coleman RL, Rogers M, Reves JG and the SWiPE group. The successful implementation of pharmaceutical practice guidelines: Analysis of associated outcomes and cost savings. *Anesthesiology* 1997;86:1018-1019.
8. Glass PSA, Howell SH, **Gan TJ**, Ginsberg B. How to manage drug interactions. *European Journal of Anaesthesiology* 1997;14:33-39.
9. **Gan TJ**, Ginsberg B, Glass PSA, Fortney J, Jhaveri R, Perno R. Opioid sparing effects of low dose infusion of naloxone in patient administered morphine sulfate. *Anesthesiology* 1997;87: 1075-81.
10. **Gan TJ**, Glass PSA, Howell ST, Canada A, Grant AP, Ginsberg B. Determination of plasma concentrations of propofol associated with 50% reduction in postoperative nausea. *Anesthesiology* 1997;87: 779-84.
11. **Gan TJ**, Glass PSA, Winsor A, Payne F, Rosow C, Sebel P, Manberg P. Bispectral index (BIS) monitoring allows faster emergence and improved recovery from propofol / alfentanil / nitrous oxide anesthesia. *Anesthesiology* 1997;87:808-15.

12. Fabling JM, **Gan TJ**, Guy J, Borel C, Warner D. Postoperative nausea and vomiting: A retrospective analysis in patients undergoing elective craniotomy. *Journal of Neurosurgical Anesthesia* 1997;9:308-12.
13. Glass PSA, **Gan TJ**, Howell SH, Ginsberg B. Drug interactions: volatile anesthetics and opioids. *J Clin Anesth* 1997;9:18-22.
14. Fortney J, **Gan TJ**, Graczyk S, Wetchler B, Melson T, Khalil S, McKenize R, Parrillo S, Glass PSA, Moote C, Wermeling D, Parasuraman TV, Duncan B, Creed M, S3a-409 AND s3a-410 Study Groups. A comparison of the Efficacy, Safety and Patient Satisfaction of Ondansetron Versus Droperidol as Antiemetics for Elective Outpatient Surgical Procedures. *Anesth Analg*. 1998;84: 731-8.
15. Chari RS, **Gan TJ**, Robertson KM, Greig PD, Clavien PA. Venovenous by-pass in orthotopic liver transplantation: routine or selective use. *J Am Coll Surg*. 1998;186:683-90.
16. Iselin-Chaves I, Glass PSA, Sebel PS, Flaishon R, Howell S, **Gan TJ**, Sigl J, Ginsberg B. The effect of the interaction of propofol and alfentanil on recall, loss of consciousness and the bispectral index. *Anesth Analg* 1998; 87:949-955.
17. Glass PSA, **Gan TJ**, Howell SH. Remifentanil: A review of its pharmacokinetics and pharmacodynamics. *Anesth Analg* 1999;89:S7-S14.
18. **Gan TJ**, Bennett-Guerrero E, Phillips-Bute B, Wakeling H, Moskowitz DM, Olefulabi Y, Konstadt SN, Bradford C, Glass PSA, Machin SJ, Mythen MG and the Hextend study group. Hextend, a physiologically balanced plasma expander for large volume use in major surgery: A randomized phase III clinical trial. *Anesth Analg* 1999;88: 992-8.
19. **Gan TJ**, Glass PSA, Sigl J, Sebel P, Payne F, Rosow C, Embree P. Women emerge from general anesthesia faster than men. *Anesthesiology* 1999;90:1283-7.
20. **Gan TJ**, El-Molem H, Ray J, Glass PSA. Patient-controlled antiemesis. *Anesthesiology* 1999;90:1564-1570.
21. Fleming NW, Chung F, Glass PSA, Kitts JB, Kirkegaard-Nielsen H, Gronert GA, Chan V, **Gan TJ**, Cicutti N, Caldwell JE. Comparison of the intubation conditions provided by rapacuronium (ORG 9487) or succinylcholine, in humans during anesthesia with fentanyl, and propofol. *Anesthesiology* 1999;91: 1311-7.
22. Soppitt AJ, **Gan TJ**, Sanderson I, Weatherwax K, Glass PSA. Duration and recovery profile of cisatracurium after succinylcholine during propofol and isoflurane anesthesia. *J Clin Anesth* 1999;11: 652-56.

23. Hill RP, Lubarsky DA, Phillips-Bute B, Fortney J, Creed M, Glass PSA, **Gan TJ**. Cost effectiveness of prophylactic antiemetic therapy with ondansetron, droperidol or placebo. *Anesthesiology* 2000;92: 958-67.
24. Fabling, JM, **Gan TJ**, El-Moalem H, Warner DS, Borel CO. A randomized, double-blind comparison of ondansetron, droperidol and placebo for prevention of postoperative nausea and vomiting after supratentorial craniotomy. *Anesth Analg* 2000;91:358-61.
25. Klein SM, Slaughter TF, Vail PT, Ginsberg B, El-Moalem HE, Alexander R, D'Ercole F, Greengrass R, Perumal T, Welsby I, **Gan, TJ**. Thromboelastography as a perioperative measure of anticoagulation resulting from low molecular weight heparin. *Anesth Analg* 2000;91:1091-5.
26. Soppitt AJ, Glass PSA, Howell S, Weatherwax K, **Gan TJ**. The use of propofol for its antiemetic effect: a survey of clinical practice in the United States. *J Clin Anesth* 2000;12:265-269.
27. Ginsberg B, Martin G, **Gan TJ**, Grichnik K, Jhaveri R, Siebert K, Sullivan F, Muir M, Glass PSA. Assessment of the relative clinical utility of sufentanil and morphine administered by patient controlled analgesia pumps following abdominal hysterectomy. *J Pharmaceutical Care in Pain & Symptom Control* 2001;8:1-13.
28. Iselin-Chaves I, El Moalem H, **Gan TJ**, Ginsberg B, Glass PSA. Changes in the auditory evoked potentials and the bispectral index following propofol or propofol and alfentanil. *Anesthesiology* 2000;92; 1300-1310.
29. **Gan TJ**, Sloan F, Dear G, El-Moalem H, Lubarsky DA. How much are patients willing to pay for avoidance of postoperative nausea and vomiting? *Anesth Analg*. 2001;92:393-400.
30. **Gan TJ**, Madan R, Alexander R, Jhaveri R, El-Moalem H, Weatherwax K, Glass PSA. Duration of action of vecuronium following an intubating dose of rapacuronium, vecuronium or succinylcholine. *Anesth Analg* 2001;92:1199-202.
31. Dexter F, **Gan TJ**, Naguib M, Lubarsky D. Cost identification analysis for succinylcholine. *Anesth Analg* 2001;92:693-699.
32. Habib A, **Gan TJ**. Combination therapy for postoperative nausea and vomiting – a more effective prophylaxis? *Ambulatory Surgery* 2001;9:59-71.
33. **Gan TJ**. Risk Assessment for the Management of Postoperative Nausea and Vomiting. *Clinical Research* 2001; 11:2-7.

34. Alexander R, Hill R, El-Moalem HE, **Gan TJ**. Remifentanyl prevents the hemodynamic response to orotracheal intubation. *J Applied Research* 2001;1: 144-48.
35. **Gan TJ**. Postoperative nausea and vomiting: can it be eliminated? *JAMA* 2002;287:1233-36.
36. Wilkes N, Woolf R, Powanda M, **Gan TJ**, Machin S, Webb A, Mutch M, Bennett-Guerrero E, Mythen M. Hydroxyethyl starch in balanced electrolyte solution (Hextend®)-pharmacokinetic and pharmacodynamic profiles in healthy volunteers. *Anesth Analg* 2002; 94:538-544.
37. Alexander R, El-Moalem HE, **Gan TJ**. Comparison of the morphine sparing effects of diclofenac sodium and ketorolac tromethamine after major orthopedic surgery. *J Clin Anesth* 2002; 14:187-92.
38. Schow A, Lubarsky D, Olson R, **Gan TJ**. Can succinylcholine be used safely in hyperkalemic patients? *Anesth Analg* 2002;95:119-122
39. **Gan TJ**, Franiak R, Reeves J. Comparison of ondansetron orally disintegrating tablet (ODT) versus placebo for the prevention of postdischarge nausea and vomiting following ambulatory surgery. *Anesth Analg* 2002; 94:1199-1200.
40. Moretti E, Robertson K, Tuttle-Newhall J, Clavien P, **Gan TJ**. Orthotopic liver transplant patients require less postoperative morphine than do patients undergoing hepatic resection. *J Clin Anesth* 2002; 14:416-420.
41. Martin G, Wakeling H, Bennett-Guerrero E, Mythen M, Robertson K, Kucmeroski D, **Gan TJ**. A prospective randomized comparison of thromboelastographic coagulation profile in patients receiving Hextend®, 6% hetastarch in saline or lactated ringer's during major surgery. *J Cardiothoracic and Vascular Anesthesia* 2002;16:441-446.
42. Fabling JM, **Gan TJ**, El-Moalem H, Warner DS, Borel CO. A Randomized, Double-Blinded Comparison of Ondansetron versus Placebo for Prevention of Nausea and Vomiting after Infratentorial Craniotomy. *J Neuro Surg Anesth* 2002;14:102-107.
43. Erb TO, Kanter RJ, Hall JM, **Gan TJ**, Kern FH, Schulman SR. Comparison of electrophysiologic effects of propofol and isoflurane-based anesthetics in children undergoing radiofrequency catheter ablation for supraventricular tachycardia. *Anesthesiology* 2002; 96: 1386-94.
44. Erb TO, Hall JM, Ing R, Kanter RJ, Kern FH, Schulman SR, **Gan TJ**. Postoperative Nausea and Vomiting in Children and Adolescents undergoing

- Radiofrequency Catheter Ablation: A Randomized Comparison of Propofol and Isoflurane based Anesthetics. *Anesth Analg* 2002; 95:1577-81.
45. **Gan TJ**, Soppitt A, Maroof M, El-Moalem, Robertson KM, Moretti E, Dwane P, Glass PSA and the Goal Directed Therapy Study Group. Goal directed intraoperative fluid administration reduces length of hospital stay after major surgery. *Anesthesiology* 2002; 97:820-6.
 46. Moretti E, Robertson K, El-Moalem H, **Gan TJ**. Intraoperative colloid administration reduces postoperative nausea and vomiting and improves postoperative outcomes compared with crystalloid administration. *Anesth Analg* 2003;96:611-7.
 47. **Gan TJ**, Ing R, Dear G, Wright D, El-Moalem H, Lubarsky D. How much are patients willing to pay to avoid intra-operative awareness? *J Clin Anesthesia* 2003;15:108-112.
 48. Martin G, Glass PSA, Breslin DS, MacLeod DB, Sanderson IC, Lubarsky DA, Reves JG, **Gan TJ**. A study of anesthetic drug utilization in different age groups. *J Clin Anesthesia* 2003;15:194-200.
 49. Habib A, **Gan TJ**. Pharmacotherapy of postoperative nausea and vomiting. *Expert Opin. Pharmacother* 2003;4:457-73.
 50. **Gan, TJ**. Evidence-based management of post-operative nausea and vomiting. *Can J Anesth* 2003;50:R1-R4.
 51. Shang A, **Gan TJ**. Optimizing postoperative pain management in the ambulatory patient. *CNS Drugs* 2003;63:855-867.
 52. Apfelbaum J, Chen C, Mehta S, **Gan TJ**. Postoperative pain experience: results from a national survey suggest postoperative pain continues to be undermanaged. *Anesth Analg* 2003;97:534-40.
 53. **Gan TJ**, Meyer T, Apfel CC, Chung F, Davis PJ, Eubanks S, Kovac A, Philip B, Sessler DI, Temo J, Tramer MR, Watcha M. Consensus guidelines for the management of postoperative nausea and vomiting. *Anesth Analg* 2003;97:62-71.
 54. Habib AS, **Gan TJ**. Food and Drug Administration black box warning on the perioperative use of droperidol: a review of the cases. *Anesth Analg* 2003;96:1377-79.
 55. Olson R, Schow A, McCann R, Lubarsky D, **Gan TJ**. Absence of adverse outcomes in hyperkalemic patients undergoing vascular access surgery. *Can J Anesth* 2003;50:553-557.

56. Moretti E, Robertson K, **Gan TJ**. The colloid crystalloid debate: Are we asking the right question? *TATM* 2003;5(4):378-391.
57. Joshi G, Viscusi E, **Gan TJ**, Minkowitz H, Cippolle M, Schuller R, Cheung R, Fort J. Effective treatment of laparoscopic cholecystectomy pain with intravenous followed by oral COX-2 specific inhibitor. *Anesth Analg* 2004;98:336-42.
58. Breslin D, Jiao K, Habib A, Schultz J, **Gan TJ**. Pharmacodynamic interactions between cisatracurium and rocuronium. *Anesth Analg* 2004;98:107-10.
59. **Gan TJ**, Joshi GP, Viscusi E, Cheung R, Dodge W, Fort J, Chen C. Preoperative parenteral parecoxib and follow-up oral valdecoxib reduces length of stay and improves quality patient recovery following laparoscopic cholecystectomy surgery. *Anesth Analg* 2004;98:1665-1673.
60. Habib A, El-Moalem H, **Gan TJ**. The efficacy of the 5-HT₃ receptor antagonists combined with droperidol for PONV prophylaxis is similar to their combination with dexamethasone. A meta-analysis of randomized controlled trials. *Can J Anesth* 2004;51:311-319. Accompanying editorial Tramer M. Rational control of PONV – the rule of three. *Can J Anesth* 2004;51:283-285.
61. Habib A, **Gan TJ**. Evidence-Based Management of Postoperative Nausea and Vomiting. *Can J Anesth* 2004;51:326-341. Accompanying editorial Tramer M. Rational control of PONV – the rule of three. *Can J Anesth* 2004;51:283-285.
62. Apfelbaum J, **Gan TJ**, Zhao S, Hanna DB, Chen C. Reliability and validity of the Perioperative opioid-related symptom distress scale. *Anesth Analg* 2004;99:699-709.
63. Habib A, **Gan TJ**. A Randomized Comparison of a Multimodal Management Strategy versus Combination Antiemetics for the Prevention of Postoperative Nausea and Vomiting. *Anesth Analg* 2004;99:77-81.
64. **Gan TJ**, Lubarsky D, Flood E, Thanh T, Mauskopf J, Mayne T, Chen C. Patient preferences for acute pain management. *BJA* 2004; 92:681-88.
65. Sebel P, Bowdle A, Ghoneim M, Rampil I, Padilla R, **Gan TJ**, Domino K. The Incidence of Awareness during Anesthesia: A Multicenter U.S. Study. *Anesth Analg* 2004;99:833-839.
66. **Gan TJ**, Jiao KR, Zenn M, Georgiade G. A randomized controlled comparison of electro-acupoint stimulation or ondansetron versus placebo for the prevention of postoperative nausea and vomiting. *Anesth Analg* 2004; 99:1070-5.

67. **Gan TJ**, Joshi G, Zhao S, Hanna D, Raymundo A, Cheung R, Chen C. Presurgical intravenous paracoxib sodium and follow-up oral valdecoxib for pain management after laparoscopic cholecystectomy surgery (LCS) reduces opioid requirements and opioid-related side effects. *Acta Anesthesiol Scand* 2004;48:1194-207.
68. Habib A, **Gan TJ**. The Effectiveness of Rescue Antiemetics Following Failure of Prophylaxis With Ondansetron, Droperidol or Placebo. *J Clin Anesthesia* 2005;17:62-65.
69. Grocott M, Mythen M, **Gan TJ**. Perioperative fluid management. *Anesth Analg* 2005;100:1093-1106.
70. **Gan TJ**. Selective serotonin 5-HT₃ receptor antagonists for postoperative nausea and vomiting: are they all the same? *CNS Drugs* 2005;19:225-238.
71. Dahm P, Yang B, Salmen C, **Gan TJ**. Radical perineal prostatectomy for the treatment of localized prostate cancer in morbidly obese patients. *J Urol* 2005;174: 131-134.
72. D'Angelo R, Philip B, **Gan TJ**, Kovac A, Hantler C, Doblal D, Melson T, Minkowitz H, Falby P, Coop A. A randomized, double-blind, dose-ranging, pilot study of intravenous granisetron in the prevention of postoperative nausea and vomiting in patients undergoing abdominal hysterectomy. *European Journal of Anaesthesiology* 2005;22:774-779.
74. **Gan TJ**, Coop A, Philip B, and the Kytril Study Group. A randomized, double-blind study of granisetron plus dexamethasone vs. ondansetron plus dexamethasone to prevent post-operative nausea and vomiting in patients undergoing abdominal hysterectomy. *Anesth Analg* 2005;101:1323-1329.
75. Barbeito A, Muir H, **Gan TJ**, Reynolds J, Spahn T, White W, Schultz J. Use of a modifier reduces inconsistency in the ASA physical status classification system in parturients. *Anesth Analg* 2006;102:1231-3.
76. Welsby I, Jiao K, Ortel T, Brudney C, Roche A, Bennett-Guerrero E, **Gan TJ**. The kaolin-activated thromboelastograph predicts bleeding after cardiac surgery. *J Cardiothoracic and Vasc Anesth* 2006;20(4):531-5.
77. Habib AS, Itchon-Ramos N. Philips-Bute BG, **Gan TJ**, The Duke Women's Anesthesia Research Group. Transcutaneous acupoint electrical stimulation with the ReliefBand for the prevention of nausea and vomiting during and after cesarean section under spinal anesthesia. *Anesth Analg* 2006;102:581-4.

78. Olufolabi AJ, **Gan TJ**, Lacassie HJ, White WD, Habib AS. A randomized, prospective double-blind comparison of efficacy of generic propofol (sulfite additive) with Diprivan. *Eur J of Anaesth* 2006;23:341-5.
79. Yang BK, **Gan TJ**, Salmen CR, Cancel QV, Vieweg J, Dahm P. Radical perineal prostatectomy for treatment of localized prostate cancer in obese and non-obese patients: a matched control study. *J Urology* 2006;67:990-995.
80. Habib AS, Chen Y, Taguchi A, Hu XH, **Gan TJ**. Postoperative nausea and vomiting following inpatient surgeries in a teaching hospital: a retrospective database analysis. *Current Medical Research and Opinion* 2006;22:1093-1099.
81. Leslie JG, **Gan TJ**. Meta-analysis of the safety of 5-HT3 antagonists with dexamethasone or droperidol for prevention of PONV. *Annals of Pharmacotherapy* 2006;40:856-72.
82. Chan M, Choi K, Gin T, Chui PT, Short T, Yuen PM, Poon A, Apfel C, **Gan TJ**. Additive interactions between ondansetron and droperidol for prevention of postoperative nausea and vomiting. *Anesth Analg* 2006;103:1155-1162.
83. **Gan, TJ**. Risk factors for postoperative nausea and vomiting. *Anesth Analg* 2006;102:1884-98.
84. **Gan, TJ**. Pharmacokinetic and pharmacodynamic characteristics of medications used for moderate sedation. *Clin Pharmacokinet* 2006;45(9) 855-869.
85. Ho KY, **Gan TJ**. Gabapentin and postoperative pain - a systematic review of randomized controlled trials. *Pain* 2006;126(1-3):91-101.
86. Ho KY, **Gan TJ**. Pharmacology, pharmacogenetics and clinical efficacy of 5-hydroxytryptamine type 3 receptor antagonists for postoperative nausea and vomiting. *Current Opinion in Anesthesiology* 2006;19:606-611.
87. Habib AS, **Gan TJ**. The Use of Neostigmine in the Management of Acute Postoperative Pain and Labor Pain: A Review. *CNS Drugs* 2006;20:821-839.
88. Stout R, **Gan TJ**, Silverman D, Brull S. The effect of desflurane on rocuronium pharmacodynamics. *Acta Anaesthesiologica Belgica* 2006;57:349-353.
89. Pyati S, **Gan TJ**. Perioperative Pain Management. *CNS Drugs* 2007; 21(3):185-211.
90. Habib A, Reuveni J, Taguchi A, White W, **Gan TJ**. A comparison of ondansetron and promethazine for the treatment of postoperative nausea and vomiting in patients who received prophylaxis with ondansetron: a retrospective database analysis. *Anesth Analg* 2007;104:548-51.

91. Kerger H, Turan A, Kredel M, Stuckert U, Alsip N, **Gan TJ**, Apfel CC. Patients' willingness to pay for anti-emetic treatment. *Acta Anesthesiol Scand* 2007;51:38-43.
92. **Gan TJ**, Habib A. Adenosine as a non-opioid analgesic in the perioperative setting. *Anesth Analg* 2007;105:487-94.
93. Habib AS, Muir HA, Schultz JR, Olufolabi AJ, White WD, **Gan TJ**. Postoperative Nausea and Vomiting Following the Use of Fentanyl or Remifentanyl in Ambulatory Gynecologic Laparoscopic Surgery: A Prospective Randomized Trial. *Ambulatory Surgery* 2007; 13: 69-84.
94. **Gan TJ**, Apfel CC, Kovac A, Philip B, Singla N, Minkowitz H, Habib A, Knighton J, Carides A, Zhang H, Horgan KJ, Evans J, Lawson F and the Aprepitant-PONV Study Group. A randomized, double-blind comparison of the NK₁ antagonist, aprepitant vs. ondansetron for the prevention of postoperative nausea and vomiting. *Anesth Analg* 2007;104:1082-9.
95. **Gan TJ**, Gordon D, Bolge S, Allen J. Patient-controlled analgesia: patient and nurse satisfaction with intravenous delivery systems and expected satisfaction with transdermal delivery systems. *Current Medical Research and Opinion* 2007;23:2507-2516.
96. **Gan TJ**. Mechanisms underlying postoperative nausea and vomiting (PONV) and neurotransmitter receptor antagonist-based pharmacotherapy. *CNS Drugs* 2007;21:813-833.
97. Diemunsch P, Apfel C, **Gan TJ**, Candiotti K, Philip BK, Chelly J, Carides AD, Evans JK, Ho TW. Preventing postoperative nausea and vomiting: post hoc analysis of pooled data from two randomized active-controlled trials of aprepitant. *Current Medical Research and Opinion* 2007; 23:2559-2565.
98. Diemunsch P, **Gan TJ**, Philip B, Girao M, Eberhart L, Irwin M, Puyo J, Chelly J, Carides A, Taylor A, Reiss T, Hinz M, Evans J, Lawson F and the Aprepitant-PONV Protocol 091 International Study Group. Single-dose aprepitant vs. ondansetron for the prevention of postoperative nausea and vomiting: a randomized, double-blind Phase III trial in patients undergoing open abdominal surgery. *Br J Anaesth* 2007;99:202-11.
99. Ho KY, **Gan TJ**. Management of persistent post-dural puncture headache after repeated epidural blood patch (case report). *Acta Anaesth Scand* 2007;51:633-6.
100. **Gan TJ**, Meyer TA, Apfel CC, Chung F, Davis P, Habib A, Hooper V, Kovac A, Kranke P, Myles P, Philip B, Samsa G, Sessler D, Temo J, Tramer M, Vander Kolk C, Watcha M. Society for Ambulatory Anesthesia guidelines for the

- management of postoperative nausea and vomiting. *Anesth Analg* 2007;105:1615-1628.
101. Kranke P, Eberhart L, **Gan TJ**, Roewer N, Tramer M. Algorithms for the prevention of postoperative nausea and vomiting: an efficacy and efficiency simulation. *European Journal of Anaesthesiology* 2007;24:856-867.
 102. Nosnik IP, **Gan TJ**, Moul JW. Open radical retropubic prostatectomy 2007: the true minimally invasive surgery for localized prostate cancer? *Expert Rev Anticancer Ther.* 2007;7:1309-17.
 103. Allen T, Habib A, Dear GL, White W, Lubarsky D, **Gan TJ**. How much are patients willing to pay to avoid postoperative muscle pain associated with succinylcholine? *JCA* 2007;19:601-608.
 104. Fitzsimons NJ. Sun LL. Dahm P. Moul JW. Madden J. **Gan TJ**. Freedland SJ. A single-institution comparison between radical perineal and radical retropubic prostatectomy on perioperative and pathological outcomes for obese men: an analysis of the Duke Prostate Center database. *Urology* 2007;70(6):1146-51.
 105. Reddy SK. Morse MA. Hurwitz HI. Bendell JC. **Gan TJ**. Hill SE. Clary BM. Addition of bevacizumab to irinotecan- and oxaliplatin-based preoperative chemotherapy regimens does not increase morbidity after resection of colorectal liver metastases. *Journal of the American College of Surgeons* 2008;206(1):96-106.
 106. Habib AS and **Gan TJ**. The use of droperidol before and after the Food and Drug Administration black box warning: a survey of the members of the Society of Ambulatory Anesthesia. *J Clin Anesth* 2008;20: 35-9.
 107. Sun Y, **Gan TJ**, Dubose J, Habib AS. Acupuncture and related techniques for postoperative pain: A systematic review of randomized controlled trials. *BJA* 2008;101:151-60.
 108. Reddy S, Barbas A, **Gan TJ**, Hill S, Roche A, Clary B. Hepatic parenchymal transection with vascular staplers: a comparative analysis with the crush-clamp technique. *The American Journal of Surgery* 2008;196:760-7.
 109. Candiotti KA, Kovac AL, Melson TI, Clerici G, **Gan TJ**. Palonosetron 04-06 Study Group. A randomized, double-blind study to evaluate the efficacy and safety of three different doses of palonosetron vs placebo for preventing postoperative nausea and vomiting. *Anesth Analg* 2008 Aug;107:445-51.
 110. Habib AS, **Gan TJ**. PRO: The FDA black box warning on droperidol is not justified. *Anesth Analg* 2008;106:1414-7.

111. Sun, YX, **Gan TJ**. Acupuncture for the management of chronic headache: a systematic review. *Anesth Analg* 2008;107:2038-47.
112. Mraovic B, Simurina T, Sonicki Z, Skitarelic N, **Gan TJ**. The dose-response of nitrous oxide in postoperative nausea in patients undergoing gynecologic laparoscopic surgery: a preliminary study. *Anesth Analg* 2008;107:818-23.
113. Habib AS, White WD, El Gasim MA, Saleh G, Polascik TJ, Moul JW, **Gan TJ**. Transdermal nicotine for analgesia after radical retropubic prostatectomy. *Anesth Analg*. 2008;107:999-1004.
114. Brichant JF, Bazin Je, Pierre S, Apfel CC, bryssine B, Charbit B, Samain E, Chelly JE, Stadler M, Tramer MR, Kranke P, Borgeat A, Korttila K, Odin P, Bordaoud N, Bientz J, Jouffroy L, **Gan TJ**, Diemunsch P. Conférence d'experts – Texte court. Prise en charge des nausées et vomissements postopératoires. *Annales Françaises d'Anesthésie et de Réanimation*. 2008;27:866-878.
115. Habib AS, Minkowitz H, Osborn T, Ogunnaike B, Candiotti K, Viscusi E, Gu J, Creed MR, **Gan TJ**. Phase 2, double-blind, placebo-controlled, dose-response trial of intravenous adenosine for perioperative analgesia. *Anesthesiology* 2008;109:1085-91.
116. Funk D, Moretti E, **Gan TJ**. Minimally invasive cardiac output monitoring in the perioperative settings. *Anesth Analg* 2009;108:887-97.
117. Malinzak E, **Gan TJ**. Regional anesthesia in vascular access surgery. *Anesth Analg* 2009;109:976-80.
118. **Gan TJ**, Sinha AC, Kovac AL, Jones RK, Cohen SA, Battikha JP, Deutsch JS, Pergolizzi JV, the TDS Study Group, and Glass PSA. A randomized, double-blind, multicenter trial comparing transdermal scopolamine plus ondansetron to ondansetron alone for the prevention of postoperative nausea and vomiting in the outpatient setting. *Anesth Analg* 2009;108:1498-1504.
119. Viscusi ER, **Gan TJ**, Leslie JB, Foss JF, Talon MD, Du W, Owens G. Peripherally acting mu-opioid receptor antagonists and postoperative ileus: mechanisms of action and clinical applicability. *Anesth Analg* 2009;108:1811-22.
120. Ho KY, Jones L, **Gan TJ**. The effect of cultural background on the usage of complementary and alternative medicine for chronic pain management. *Pain Physician* 2009;12:685-688.
121. Miller TE, Roche AM, **Gan TJ**. Definitions and epidemiology. *Current Opinion in Critical Care* 2009;15:314-319.

122. Roche AM, Miller TE, Gan TJ. Goal-directed fluid management with transoesophageal Doppler. *Best Practice & Res Clin Anesth* 2009; 23:327-334.
123. **Gan TJ**, Candiotti KA, Klein SM, Rodriguez Y, Nielsen KC, White WD, Habib AS. Double-blind comparison of granisetron, promethazine, or a combination of both for the prevention of postoperative nausea and vomiting in females undergoing outpatient laparoscopies. *Can J Anesth* 2009; 56:829-836.
124. Langford RM, Joshi GP, **Gan TJ**, Mattera M, Chen WH, Revicki DA, Chen C, Zlateva G. Reduction in opioid-related adverse events and improvement in function with parecoxib followed by valdecoxib treatment after non-cardiac surgery: a randomized, double-blind, placebo-controlled, parallel-group trial. *Clinical Drug Investigation* 2009; 29: 577-90.
125. Habib AS, Polascik TJ, Weizer AZ, White WD, Moul JW, Elgasim MA, Gan TJ. Lidocaine patch for postoperative analgesia after radical retropubic prostatectomy. *Anesth Analg* 2009;108:1950-3.
126. Chan KS, Chen WH, **Gan TJ**, Hsieh R, Chen C, Lakshminarayanan M, Revicki DA. Development and validation of a composite score based on clinically meaningful events for the opioid-related symptom distress scale. *Qual Lif Res* 2009;18: 1331-1340.
127. Champion ME and **Gan TJ**. Fospropofol disodium for sedation. *Drugs of Today* 2009;45:567-576.
128. Habib AS, Wahl K, Gu J, **Gan TJ**. Comparison of postoperative pain outcomes after vertical or Pfannenstiel incision for major gynecologic surgery. *Curr Med Res Opin* 2009;25:1529-34.
129. D'Alonzo RC, **Gan TJ**, Moul JW, Albala DM, Polascik TJ, Roberston SN, Sun L, Dahm P, Habib AS. A retrospective comparison of anesthetic management of robot-assisted laparoscopic radical prostatectomy versus radical retropubic prostatectomy. *J Clin Anesth* 2009;21:322-8.
130. Habib AS, Gan TJ. CON: Postoperative nausea and vomiting database research: limitations and opportunities. *Anesth Analg* 2010;110:412-4.
131. Auyong DB, Klein SM, **Gan TJ**, Roche AM, Olson D, Habib AS. Processed electroencephalogram during donation after cardiac death. *Anesth Analg* 2010;110:1253-5.
132. **Gan TJ**, Berry BD, Ekman EF, Muckerman EC 2nd, Shore N, Hardi R. Safety evaluation of fospropofol for sedation during minor surgical procedures. *J Clin Anesth* 2010;22:260-7.

133. **Gan TJ.** Diclofenac: an update on its mechanism of action and safety profile. *Curr Med Res Opin* 2010; 26:1715-31.
134. Chen WH, Chan KS, **Gan TJ**, Chen C, Lakshminarayanan M, Revicki DA. Validation of the modified brief pain inventory-exploratory form in surgery patients. *Health Outcomes Research in Medicine* 2010;1:e17-e28.
135. Simurina T, Mraovic B, Mikulandra S, Sonicki Z, Dukic B, **Gan TJ.** Effects of high intraoperative inspired oxygen on postoperative nausea and vomiting in gynecologic laparoscopic surgery. *J Clin Anesth* 2010 22;492-498.
136. Joshi G, Chung F, Vann M, Ahmad S, **Gan TJ**, Goulson D, Merrill D, Twersky R. Society for Ambulatory Anesthesia Consensus Statement on Perioperative Blood Glucose Management in Diabetic Patients Undergoing Ambulatory Surgery. *Anesth Analg* 2010;111:1378-87.
137. Pergolizzi F, Pergolizzi J III, Gan Z, Macario S, Pergolizzi J Jr., Ewin TJ, **Gan TJ.** Bullying in middle school: results from a 2008 survey. *Int J Adolesc Med Health* 2011; 23:11-18.
138. Pergolizzi JV, **Gan TJ**, Plavin S, Labhsetwar S, Taylor R. Perspectives on the role of fospropofol in the monitored anesthesia care setting. *Anesth Res Pract* 2011:458920. Epub 2011 Apr 14. PMID: 21541247.
139. Glass PSA, **Gan TJ.** SAMBA: Moving Forward. *Anesth Analg* 2011; 113:444-5.
140. Candiotti KA, **Gan TJ**, Young C, Bekker A, Sum-Ping ST, Kahn R, Lebowitz P, Littman JJ. A randomized, open-label study of the safety and tolerability of fospropofol for patients requiring intubation and mechanical ventilation in the intensive care unit. *Anesth Analg.* 2011;113:550-6. Epub 2011 May 19. PMID: 21596879.
141. **Gan TJ**, Gu J, Singla N, Chung F, Pearman MH, Bergese SD, Habib AS, Candiotti KA, Mo Y, Huyck S, Creed MR, Cantillon M. Rolapitant for the prevention of postoperative nausea and vomiting: a prospective, double-blinded, placebo-controlled randomized trial. *Anesth Analg.* 2011;112:804-12.
142. Grocott MP, **Gan TJ.** Fluid resuscitation 'post Boldt': throwing out the baby with the bathwater? *Br J Hosp Med* 2011;72:306-7.
143. Habib AS, Keifer JC, Borel CO, White WD, **Gan TJ.** A comparison of the combination of aprepitant and dexamethasone versus the combination of ondansetron and dexamethasone for the prevention of postoperative nausea and vomiting in patients undergoing craniotomy. *Anesth Analg.* 2011;112:813-8.

144. Miller TE, Roche AM, **Gan TJ**. Poor adoption of hemodynamic optimization during major surgery: are we practicing substandard care? *Anesth Analg*. 2011;112:1274-6.
145. Melton S, Klein S, **Gan TJ**. Management of postdischarge nausea and vomiting after ambulatory surgery. *Curr Opin Anesthesiol*. 2011;24:612-619. PMID: 21934496.
146. Sun Y, Li T, Chai F, **Gan TJ**. Flurbiprofen axetil for prevention of propofol injection pain in adult – a systematic review. *The Internet Journal of Anesthesiology*. 2011; Vol 28; Number 1.
147. Tsivian M, Qi P, Kimura M, Chen CH, Chen SH, **Gan TJ**, Polascik TJ. The effect of noise-cancelling headphones or music on pain perception and anxiety in men undergoing transrectal prostate biopsy. *Urology*. 2012;79:32-6. PMID: 22202544.
148. Apfelbaum J, Ashburn M, Connis R, **Gan TJ**, Nickinovich D. (updated by: ASA Committee on Standards and Practice Parameters). Practice guidelines for acute pain management in the perioperative setting. *Anesthesiology*. 2012;116:248-73. PMID: 22227789.
149. Taylor R, **Gan TJ**, Raffa R, Gharibo C, Pappagallo M, Sinclair N, Fleischer C, Tabor A. A randomized, double-blind comparison shows the addition of oxygenated glycerol trimesters to topical mentholated cream for the treatment of acute musculoskeletal pain demonstrates incremental benefit over time. *Pain Practice* 2012;12:610-619. PMID: 22304620.
150. Kranke P, Rohm KD, Diemunsch P, **Gan TJ**, Apfel CC, Eberhart L, Minkowitz HS, Wallenborn J, Chassard D, Lebuffe G, Fox GM, Tramer MR. Intravenous buspirone for the prevention of postoperative nausea and vomiting. *Eur J Clin Pharmacol* 2012;68:1465-72. PMID: 22546895.
151. Sun YX, Habib AS, Wenger T, Gratz I, Glick D, Adsumelli R, Creed MR, **Gan TJ**. Effects of dose ranging of adenosine infusion on electrocardiographic findings during and after general anesthesia. *J Anesth* 2012;26:689-95. PMID: 22661123.
152. Bergese SD, Dalai P, Vandse R, Satlin A, Lin Z, Candiotti K, Cohen L, **Gan TJ**. A double-blind, randomized, multicenter, dose-ranging study to evaluate the safety and efficacy of fospropofol disodium as an intravenous sedative for colonoscopy in high-risk populations. *Am J Ther* 2013 20:163-71. PMID: 22820718.
153. **Gan TJ**, Daniels SE, Singla N, Hamilton DA, Carr DB. A novel injectable formulation of diclofenac compared with intravenous ketorolac or placebo for acute moderate-to-severe pain after abdominal or pelvic surgery: a multicenter,

- double-blind, randomized, multiple-dose study. *Anesth Analg*. 2012; 115:1212-1220. PMID: 22886837.
154. Joshi GP, Ankichetty SP, **Gan TJ**, Chung F. Special Article: Society for Ambulatory Anesthesia consensus statement on preoperative selection of adult patients with obstructive sleep apnea scheduled for ambulatory surgery. *Anesth Analg*. 2012;115:1060-1068. PMID: 22886843.
 155. MacLeod DB, Habib AS, Ikeda K, Spyker DA, Cassella JV, Ho KY, **Gan TJ**. Inhaled fentanyl aerosol in healthy volunteers: pharmacokinetics and pharmacodynamics. *Anesth Analg*. 2012; 115:1071-1077. PMID: 22984155.
 156. Sun Y, Li T, Wang N, Yun Y, **Gan TJ**. Perioperative systemic lidocaine for postoperative analgesia and recovery after abdominal surgery: a meta-analysis of randomized controlled trials. *Dis Colon Rectum*. 2012; 55:1183-94. PMID: 23044681.
 157. Habib AS, **Gan TJ**. Postoperative nausea and vomiting: then and now. *Anesth Analg*. 2012;115:493-5. PMID: 22910636.
 158. Oderda GM, **Gan TJ**, Johnson BH, Robinson SB. Effect of opioid-related adverse events on outcomes in selected surgical patients. *J Pain Palliat Care Pharmacother*. 2013 Jan 9. [Epub ahead of print]. PMID: 23302094.
 159. Burdett E, Dushianthan A, Bennett-Guerrero E, Cro S, **Gan TJ**, Grocott MP, James MF, Mythen MG, O'Malley CM, Roche AM, Rowan K. Perioperative buffered versus non-buffered fluid administration for surgery in adults. *Cochrane Database Syst Rev*. 2012 Dec 12;12:CD004089. doi: 10.1002/14651858.CD004089.pub2. Review. PMID: 23235602 .
 160. Waldron NH, Jones CA, **Gan TJ**, Allen TK, Habib AS. Impact of perioperative dexamethasone on postoperative analgesia and side-effects: systematic review and meta-analysis. *Br J Anaesth* 2013;110:191-200.
 161. Bergese S, Dalal P, Vandse R, Satlin A, Lin Z, Candiotti K, Cohen L, **Gan TJ**. A double-blind, randomized, multicenter, dose-ranging study to evaluate the safety and efficacy of fospropofol disodium as an intravenous sedative for colonoscopy in high-risk populations. *Am J Ther* 2013. (in press).
 162. Sun Y, Wang N, Li T, Gan TJ. The effects of perioperative regional anaesthesia and analgesia on survival and cancer recurrence following oncology surgery: a systematic review and meta-analysis. *Br J Anaesth* 2013. (submitted for publication).

163. Marini JJ, Vincent JL, Wischmeyer P, Singer M, Gattinoni L, Ince C, **Gan TJ**. Our favorite unproven ideas for future critical care. *Crit Care* 2013;17 Suppl 1:59. doi: 10.1186/cc11507. Epub 2013 Mar 12. PMID: 23514590.
164. Bartels K, Thiele RH, **Gan TJ**. Rational fluid management in today's ICU practice. *Crit Care*. 2013;17 Suppl 1:S6. doi: 10.1186/cc11504. Epub 2013 Mar 12. PMID: 23514431.
165. Kranke P, Eberhart L, Motsch J, Chassard D, Wallenborn J, Diemunsch P, Liu N, Keh D, Bouaziz H, Bergis M, Fox G, **Gan TJ**. I.V. APD421 (amisulpride) prevents postoperative nausea and vomiting: a randomized, double-blind, placebo-controlled, multicentre trial. *Br J Anaesth*. 2013 Jul 19. [Epub ahead of print]. PMID: 23872464.
166. Ouyang MW, McDonagh DL, Phillips-Bute B, James ML, Friedman AH, **Gan TJ**. Does midline shift predict postoperative nausea in brain tumor patients undergoing awake craniotomy? A retrospective analysis. *Curr Med Res Opin*. 2013 Sep;29(9):1033-8. doi: 10.1185/03007995.2013.811071. Epub 2013 Jul 16. PMID: 23731200.
167. Ouyang MW, McDonagh DL, Phillips-Bute B, James ML, Friedman AH, **Gan TJ**. Comparison of postoperative nausea between benign and malignant brain tumor patients undergoing awake craniotomy: a retrospective analysis. *Curr Med Res Opin*. 2013 Sep;29(9):1039-44. doi: 10.1185/03007995.2013.811070. Epub 2013 Jul 16. PMID: 23731201.
168. Khan SA, Adogwa O, **Gan TJ**, Null UT, Verla T, Gokhale S, White WD, Britz GW, Zomorodi AR, James ML, McDonagh DL. Effect of 6% hydroxyethyl starch 130/0.4 in 0.9% sodium chloride (Voluven®) on complications after subarachnoid hemorrhage: a retrospective analysis. *Springerplus*. 2013 Jul 15;2(1):314. Print 2013 Dec. PMID: 23888282.
169. Miller TE, **Gan TJ**. Closed-loop systems in anesthesia: reality or fantasy? *Anesth Analg*. 2013 Nov;117:1039-41. PMID: 24149499.
170. **Gan TJ**, Diemunsch P, Habib AS, Kovac A, Meyer T, Watcha M, Chung F, Angus S, Apfel CC, Bergese SD, Candiotti KA, Chan MT, Davis PJ, Hooper VS, Lagoo-Deenadayalan S, Myles P, Nezat G, Philip BK, Tramer MR. Consensus guidelines for the management of postoperative nausea and vomiting. *Anesth Analg*. 2014 Jan;118:85-113. PMID: 24356162
171. Yang KS, Habib AS, Lu M, Branch MS, Muir H, Manberg P, Sigl JC, **Gan TJ**. A prospective evaluation of the incidence of adverse events in nurse-administered moderate sedation guided by sedation scores or Bispectral Index. *Anesth Analg*. 2014 Jan 9. [epub ahead of print]. PMID: 24413547.

172. Habib AS, Moul JW, Polascik TJ, Robertson CN, Roche AM, White WD, Hill SE, Nosnick I, **Gan TJ**, Duke Perioperative Outcome Study Group. Low central venous pressure versus acute normovolemic hemodilution versus conventional fluid management for reducing blood loss in radical retropubic prostatectomy: a randomized controlled trial. *Curr Med Res Opin*. 2014 Jan 24. [Epub ahead of print]. PMID: 24351100.
173. Thiele RH, Bartels K, Esper S, Ikeda K, **Gan TJ**. Real-time Doppler-based arterial vascular impedance and peripheral pressure-flow loops: a pilot study. *J Cardiothorac Vasc Anesth*. 2014 Feb;28:36-41. Epub 2013 Sep 25. PMID: 24075638.
174. Yang KS, Habib AS, Lu M, Branch MS, Muir H, Manberg P, Sigl JC, **Gan TJ**. A prospective evaluation of the incidence of adverse events in nurse-administered moderate sedation guided by sedation scores or Bispectral Index. *Anesth Analg*. 2014 Jan 9. [Epub ahead of print]. PMID: 24413547.
175. **Gan TJ**, Habib AS, Miller TE, White W, Apfelbaum JL. Incidence, patient satisfaction and perceptions of postsurgical pain: results from a national survey. *Curr Med Res Opin*. 2014 Jan;30:149-60. Epub 2013 Nov 15. PMID: 24237004.
176. **Gan TJ**, Diemunsch P, Habib AS, Kovac A, Kranke P, Meyer TA, Watcha M, Chung F, Angus S, Apfel CC, Bergese SD, Candiotti KA, Chan MT, Davis PJ, Hooper VD, Lagoo-Deenadayalan S, Myles P, Nezat G, Philip BK, Tramer MR. Consensus guidelines for the management of postoperative nausea and vomiting. *Anesthesia & Analgesia* 2014;118:85-113.
177. Miller TE, Thacker JK, White WD, Mantyh C, Migaly J, Jin J, Roche AM, Eisenstein EL, Edwards R, Anstrom KJ, Moon RE, **Gan TJ**. Reduced length of hospital stay in colorectal surgery after implementation of an enhanced recovery protocol. *Anesthesia & Analgesia* 2014;118:1052-61.
178. Waldron NH, Miller TE, Thacker JK, Manchester AK, White WD, Nardiello J, Elgasim MA, Moon RE, **Gan TJ**. A prospective comparison of a noninvasive cardiac output monitor versus esophageal Doppler monitor for goal-directed fluid therapy in colorectal surgery patients. *Anesthesia & Analgesia* 2014;118:966-75.

Editorial

1. **Gan TJ**, Arrowsmith JE. The oesophageal Doppler monitor. A safe means of monitoring the circulation (Editorial). *British Medical Journal*. 1997;315: 893-4.
2. **Gan TJ**, Habib AS. Use of the bispectral index to monitor anaesthesia. Editorial. *Hospital Medicine* 2002;63:68-69.
3. Habib AS, **Gan TJ**. Haloperidol for postoperative nausea and vomiting – are we re-inventing the wheel. *Anesth Analg* 2008; 106:1343-5.
4. Grocott MPW, **Gan TJ**. Fluid Resuscitation ‘post Boldt’: throwing out the baby with the bathwater? *British Journal of Hospital Medicine* 2011; 72:306-307.
5. Ali Khan S, McDonagh DL, **Gan TJ**. Wound complications with dexamethasone for postoperative nausea and vomiting prophylaxis: a moot point? *Anesth Analg* 2013;116(5):966-8. PMID: 23606467
6. Habib AS, **Gan TJ**. Scientific fraud: impact of Fujii’s data on our current knowledge and practice for the management of postoperative nausea and vomiting. *Anesth Analg* 2013;116(3):520-2. doi: 10.1213/ANE.0b013e31827ab7d8. PMID:23439813.
7. Wang SM, Harris RE, Lin YC, Gan TJ. Acupuncture in 21st century anesthesia: is there a needle in the haystack? *Anesth Analg*. 2013 Jun;116(6):1356-9. doi: 10.1213/ANE.0b013e31828f5efa.
8. Ali Khan S, McDonagh DL, Gan TJ. Wound complications with dexamethasone for postoperative nausea and vomiting prophylaxis: a moot point? *Anesth Analg*. 2013 May;116(5):966-8. doi: 10.1213/ANE.0b013e31828a73de. PMID: 23606467.
9. Habib AS, Gan TJ. Scientific fraud: impact of Fujii's data on our current knowledge and practice for the management of postoperative nausea and vomiting. *Anesth Analg*. 2013 Mar;116(3):520-2. doi: 10.1213/ANE.0b013e31827ab7d8. PMID: 23439813.

Reviews

1. **Gan TJ**, Glass PSA. Interactions involving inhalational agents. *International Anesthesiology Clinics*. Baillere’s Clinical Anaesthesiology. 1998;12:263-281.
2. **Gan TJ**. The esophageal Doppler as an alternative to the pulmonary artery catheter. *Current Opinion in Critical Care*. 2000;6:214-221.
3. Wright D, **Gan TJ**. Do we need a measure of anesthetic depth? *Current Anesthesiology Reports*. 2000;2; 283-287.

4. Martin G, **Gan TJ**. Gender difference: hype or fact? *Seminars in Anesthesia, Perioperative Medicine and Pain*. 2000;19; 76-82.
5. Murdoch J, **Gan TJ**. Anesthesia for Hysteroscopy. *Anesthesiology Clinics of North America*. 2001;19:125-140.
6. **Gan TJ**. Acute Pain Management. Patients Experience and Meeting JCAHO Guidelines. *Anesth Analg, Society for Ambulatory Anesthesia 17th Annual Meeting Lectures*, 2002, 11-14.
7. McKinlay S, **Gan TJ**. Intraoperative fluid management and choice of fluids. *ASA Refresher Course publication*. 2003.

Book Chapters

1. **Gan TJ**, Glass PSA. Balanced Anesthesia. *Intravenous Anesthesia. Textbook of Clinical Anesthesia*; Chapter 17. Edited by Paul White, Published by Williams and Wilkins
2. **Gan TJ**. Hypocalcemia. *Oxford Textbook of Intensive Care*. Edited by Andrew Webb, Peter Suter and Mervyn Singer. Published by Oxford University Press. November, 1998.
3. Hill R, **Gan TJ**. Anesthetic management of liver surgery. *Malignant Liver Tumors: Current and Emerging Therapies*. Chapter 31. Edited by Pierre-Alain Clavien. Published by Blackwell Science. 1999.
4. Robertson KM, **Gan TJ**. Clinical research and good clinical practice. *Best Practice and Research Clinical Anesthesiology*. Chapter 11. Edited by P.S. Myles. Published by Bailliere Tindall. 2002.
5. McKinlay S, **Gan TJ**. Intra-abdominal operations. Section V: Intravenous fluid therapy in daily practice, chapter 3. *Perioperative Fluid Therapy*. Edited by Robert G. Hahn, MD, Ph.D. and Donald S. Prough, MD. Published by Marcel Dekker, Inc. 2003.
6. Cameron D, **Gan TJ**. Management of postoperative nausea and vomiting in ambulatory surgery. *Anesthesiology Clinics of North America: Ambulatory Anesthesia*. Edited by Tong Joo Gan. Published by WB Saunders Company. 2003 (21) 347-365.
7. Gan TJ. Preface. *International Anesthesiology Clinics: Postoperative Nausea and Vomiting*. Edited by Tong Joo Gan.. 2003 Fall;41:XV-XVI.

8. Habib A, **Gan TJ**. Combination antiemetic. What is the Evidence? *International Anesthesiology Clinics: Postoperative Nausea and Vomiting*. Edited by Tong Joo Gan. 2003 Fall;41:119-144.
9. Deballi P, **Gan TJ**. The use of propofol as an antiemetic. *International Anesthesiology Clinics: Postoperative Nausea and Vomiting*. Edited by Tong Joo Gan. 2003 Fall;41:67-78.
10. **Gan TJ**. Multimodal Therapy: Rational Polypharmacy and Different Management Approaches. *Case-Based Medicine Teaching Series: The Spectrum of Pain*. Edited by Daniel B. Carr, MD. McMahan Publishing Group. New York, NY. December 2004: 4-15.
11. Habib AS, **Gan TJ**. Role of analgesic adjuncts in postoperative pain management. *Anesthesiology Clinics of North America: Current Concepts in Postoperative Pain Management*. Edited by: Girish P. Joshi. Published by: Elsevier Saunders. March 2005; 23:85-107.
12. Fahy C, **Gan TJ**. Postoperative Bowel Dysfunction and Opioids. *Handbook of Opioid Bowel Dysfunction*. Edited by Chun-Su Yuan. Haworth Press. Binghamton NY. 2005: 121-153.
13. Funk D, **Gan TJ**. Prevention and Treatment of Gastrointestinal Morbidity. *Perioperative Medicine: Managing for Outcome*. Edited by Mark F. Newman. Published by Elsevier Saunders. Philadelphia, PA. 2007; 383-396.
14. Ho KY, **Gan TJ**. Postoperative Nausea and Vomiting. *Complications in Anesthesia*, 3rd Edition. Edited by: EB Lobato, N Gravenstein, RR Kirby. Published by: Lippincott-Williams & Wilkins. (in press).
15. **Gan TJ** and Philip BK. Sedation Techniques. *Handbook of Ambulatory Anesthesia*. Edited by Rebecca Twersky, MD and Beverly K Philip MD. Published by Springer Science + Business Media, LLC. New York, NY. 2008. 169-194.
16. **Gan TJ** and Miller TE. Managing Postoperative Nausea and Vomiting. *Patient Safety in Plastic Surgery*. Edited by V. Leroy Young and Richard Botney. Published by Quality Medical Publishing, Inc. St. Louis, Missouri. 2009. 487-510.
17. Habib AS, **Gan TJ**. Evidence-based update and controversies in the treatment and prevention of postoperative nausea and vomiting. *Advances in Anesth.* Edited by Thomas M McLoughlin, Joel O. Johnson, Francis V. Salinas. Published by Elsevier Inc., Philadelphia, PA. 2009. 143-165.
18. Le T, **Gan TJ**. Update on the management of postoperative nausea and vomiting and postdischarge nausea and vomiting in ambulatory surgery.

Anesthesiology Clinics. Edited by Peter SA Glass. Consulting Editor Lee A.Fleisher, MD. Published by WB Saunders Co., Philadelphia, PA. 2010. 225-249.

19. Wahl K, **Gan TJ**. Pathophysiology of volume deficits. In: Boldt J. *Volume Replacement. 2nd Edition*, 2010. P. 15-33.
20. Le T, **Gan TJ**. Postoperative nausea and vomiting. *Perioperative Medicine Medical Consultation and Co-Management*. Edited by Amir K. Jaffer and Paul J. Grant. Pulished by John Wiley & Sons, Inc., Hoboken, NJ. 2012. 425-437.
21. Habib AS, **Gan TJ**. What Is the Best Strategy for Prevention of Postoperative Nausea and Vomiting? In *Evidence-Based Practice of Anesthesiology*, Chapter 38; 3rd ed, Elsevier 2013.
22. Smaka T, Miller T, Hutchens M, Schenning K, Fleisher L, **Gan TJ**, Lubarsky D. Anesthesia for Vascular Surgery. *Clinical Anesthesia, seventh ed*. Edited by Paul Barash, Bruce Cullen, Robert Stoelting, Michael Cahalan, M. Christine Stock and Rafael Ortega. Published by Lippincott, Williams & Wilkins, Philadelphia, PA. 2013. Chapter 39: 1112-1143.
23. Thiele RH, Bartels K, **Gan TJ**. Noninvasive Cardiac Output Monitoring. *Monitoring Technologies in Acute Care Environments - A Comprehensive Guide to patient Monitoring Technology*. Chapter 9. pgs 65-72. Edited by Jesse M Ehrenfeld and Maxime Cannesson. Published by Springer, NY. 2014.